Gas cooker hobs

Design, technology and high-grade materials are the ingredients of a cooking range characterised by high functionality, professional performance and energy saving. Foster cooker hobs are offered in a wide range of built-in versions; moreover, the cooker hob can be incorporated into the custom-sized stainless steel worktop. Foster cooker hobs are made of AISI 304 and AISI 316 stainless steel and come in a variety of finishes. Now also coloured models are available, to match rustic or classical designs.

GK p. 198

S4000 p. 202

S4000 Line p. 208

S4000 Domino p. 210

Quadra Line p. 212

Quadra Angolare p. 214

KE Line p. 216

KE p. 218

KE White p. 220

KE Domino p. 221

Marine p. 222

KS p. 224

KS colour p. 226

KS Domino p. 228

Faust p. 229

Alfa p. 230

Professionale p. 232

Professionale Domino p. 235

F2000 p. 236

Veronika p. 237

Elettra colour p. 240

Elettra p. 243

Angolare p. 244

Kristal p. 245

Rondò p. 246

Rondò Kristal p. 247

High efficiency coupled with environmental awareness

High efficiency coupled with environmental awareness. Foster offers a broad and modern selection of cooker hobs that are tailored to various space-related needs and implement special technological features for guaranteed energy saving. **The new cooker hobs feature high-efficiency burners that allow a gas saving from 20% to 25%** when compared to traditional hobs.



Burners

Energetic efficiency is an important prerogative of Foster's research. The burners are developed to reduce gas-consumption and be environment-friendly, while maintaining high performance and great flexibility of use.

High Efficiency burners (AE):

5kW and 25% gas saving

Thanks to the new AE burners (which stands for "Alta Efficienza", i.e. high efficiency) cooker hobs have a maximum efficiency rate of 69% and the DUAL AE burner reaches a maximum power of 5 kW. The brass burner ring gives a professional look.

III^ serie burners: 20% gas saving

The burners of the III Series guarantee a far higher efficiency than the mandatory one according the CE regulations. Moreover, the better gas combustion makes it possible to develop higher power. From a safety standpoint, the locking system between burner cap and flame-diffuser guarantees a perfect positioning and easiness of cleaning.

Steel loyalist

Foster takes great care to use materials able to provide the best performance. Our entire range is made with AISI 304 - 18/10 and AISI 316 austenitic steels. Thanks to the high percentages of chrome and nickel they contain, they give a particularly bright finish, are extremely sturdy and absolutely resistant to rust and corrosion. The exclusive finishes on Foster steels are the result of painstaking research, the aim being to achieve the perfect combination between good looks and functionality. A distinctive feature, a true trademark that makes our products stand out for the ease with which they can be cleaned.

Foster
finish



Microfoster
finish

Foster brushed finish
The steel is treated with special natural fibres that give it the characteristic extrafine satin finish that is highly elegant and functional. This makes the surfaces very smooth and easy to clean.

Microfoster® finish
Designed to protect the surface from accidental scratches, thanks to texture of fine oval granules, allows a better surface rinsing.

Foster

Features

Safety in the kitchen

The ultra-rapid latest generation thermocouples make the burners even safer while the ignition time is reduced to the minimum.

Safe cooking
All Foster cooker hobs are equipped with safety valves. They shut off the gas supply very quickly if the flame accidentally goes out.

Under-knob ignition
The utmost freedom of movement with electronic under-knob ignition, a common feature of all models that allows a one-hand ignition of the burner.
Power supply: 220-230 V 50-60 Hz.

Ultra-flat
Design meets functionality in the the ultra-flat models. Elegant grids that form a generously sized overall surface.

Classy details

Functionality and looks combine perfectly in the Foster cooker hobs. Burners, grids and inset areas are attentively studied to guarantee the best possible results.

Special burners
Many Foster hobs are equipped with special burners, with two or three fire-rings that greatly increase the power and the area which is directly heated. in the **DUAL models**, the two rings have independent ignition, which makes these burners perfect both for intensive and delicate cooking.

Cast-iron grids
Almost all the Foster cooker hobs are equipped with cast-iron grids, a perfect material due to its many properties: high thermal capacity that improves the cooking efficiency; weight and stability that improve safety; sturdiness which keeps their look unaltered over time; easiness to clean.



Inclined inset area
A deep, inclined inset cradles the burners and grids, which thus constitute a seamless working surface. Furthermore, the inclination of the inset area makes it very easy to clean the corners.

Built-in and beyond

The methods with which worktops can be built-in have become increasingly more varied and customized.
Foster was the first sink manufacturer to have researched and used the new recessing methods and has thus acquired a great deal of experience. It now offers the most comprehensive range available on the market, with flush-mount and flat-edge installation.

Standard
Traditional built-in with the vertical, 8-mm edge.

Q4
The casing has a square edge that stands outside the work surface by just 4 mm.

Flat-edge
An original edge, with an inclined, 3-mm high profile, matching an extreme elegance with the easiness of installation.

Flush-mount
The flush-mount cooker hobs have no vertical edge, and must be sunk into a 1,5 mm deep recess in the worktop's surface.

Built-in
The most stylish and assertively professional solution is to weld the cooker hob to the stainless steel worktop, producing one sleek, seamless block.
Non-integrable models are signaled.

Construction details

Foster pays special attention to every construction detail that facilitates the hobs installation. In the examples below some solutions are described that allow the insertion 60 cm cabinets of 5-burner models with significantly larger dimensions.

Veronika and Elettra
The 5-burners standard built-in versions feature a 76 cm width, but need only a 56 cm large cut-out. This makes them attractive alternatives to the 60 cm large models that feature the same cut-out dimensions.



Narrow cut-out



KE and KS
Most of the lower encumbrance under the cooker hob has a dimension compatible with the insertion in 60 cm cabinets.
The only encumbrance exceeding this dimension is that of the burners' containing area (28 mm for KE hobs and 10 mm KS hobs - in the picture), which generally remains within the worktop thickness.



On-top and flush-mount range

120 - models from 101 to 120 cm width

S4000 - p. 205

90/100 - models from 81 to 100 cm width

S4000 - p. 205-206



NEW

KE - p. 219

Professionale - p. 233

Alfa - p. 231

F2000 - p. 236

Key to symbols

- STD Standard
- Q4 Q4
- SF Flat-edge
- FT Flush-mount

- Brushed finish
- Microfoster finish
- Design finish

80 - models from 71 to 80 cm width

KE - p. 219

KE white - p. 220

Marine - p. 223



NEW

KS - p. 225

KS colour - p. 227

NEW

Veronika - p. 237-239

Faust - p. 229

Elettra - p. 243

Elettra colour - p. 241

NEW

60 - models from 45 to 60 cm width

S4000 - p. 207

KS - p. 225

Professionale - p. 233

Veronika - p. 237-239



Elettra - p. 243

Elettra colour - p. 242

NEW

F2000 - p. 236

Veronika - p. 239

Kristal - p. 245

NEW

On-top and flush-mount range

Domino and Round solutions

S4000 Domino - p. 211

4000 Domino series completes with induction and electric models see pages 267-268

KE Domino - p. 221

KS Domino - p. 228

Professionali Domino - p. 235

Rondò - p. 246



Rondò Kristal - p. 247

Angular solutions

Quadra Angolare - p. 215



Angolare - p. 244



In-line solutions

GK - p. 201





S4000 Line - p. 208-209



Quadra Line - p. 213





KE Line - p. 217



accessories

1

Wok support
9601 668
8033524377312

2

St. steel Wok Ø 36 cm
8173 000
8051566436071

3

Cast-iron grill 44x22 cm
8172 000
8033524376667

4

Wok support
9601 727
8051566436224

5

Pan support grid
8152 000
8033524376629

6

Cast-iron support 11x23 cm
9601 742
8033524379613

GK

GK is surprising from every point of view. Foster stylistic features and functional principles melt perfectly in this hob. The concept of in-line cooking evolves to create new spaces, flat grids and maximum practicality match in the elegant inclined containing area, the innovative AE (high efficiency) burners guarantee unequalled performance and efficiency.

matchings

GK p. 36

Ghost p. 324

S4000 p. 285

GK

features

GK combines generous dimensions with the ease of insertion into standard cabinets. **With 4 cm worktop thickness, the special shape of the box allows the fitting in 90 cm large cabinet.**

The AE burners **provide a 25% higher efficiency** than standard solutions. The Dual burner with double independent crowns, controlled by **a single knob, offers a power range of 1 to 5 KW**, to be found only in professional models.

As characteristic feature of the GK line, **the inclined containing area** joins sink and hob, creating a classy combination, functional in use and cleaning of surfaces.

The elegant grids of GK hob are obviously of enameled cast iron, ideal material for stability, strength, thermic capacity and for an appearance that does not fear the time passing.

Refined and essential, the GK knob is designed for maximum functionality, enhanced **by the ring beneath that prevents the dirt to stop and makes cleaning easier.**

The large working area is very functional. **Grids** - protruding from the top only a few millimeters - **form a large and stable surface** on which pots can be moved safely.

The flexibility of use of the powerful Dual burner is further heightened by the nice, **cast-iron wok support which is a standard equipment.**

GK

SF

finish	EAN	code
brushed	8051566438631	**7628 032**

AISI 304 stainless steel
dimensions: **1294x470 mm**
cut-out: 1274x450 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with ultra-rapid thermocouples
Supplied with:
cast iron wok support 4 see page 197

Tot. power: **11.750 W**
auxiliary: 2x1.000 W rapid: 3.000 W
semi-rapid: 1.750 W Dual: 5.000 W



FT FTS

finish	EAN	code
brushed	8051566438624	**7627 032**

AISI 304 stainless steel
dimensions: **1294x470 mm**
cut-out FT: see web site
cut-out FTS: 1274x450 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with ultra-rapid thermocouples
Supplied with:
cast iron wok support 4 see page 197

Tot. power: **11.750 W**
auxiliary: 2x1.000 W rapid: 3.000 W
semi-rapid: 1.750 W Dual: 5.000 W



SF

finish	EAN	code
brushed	8051566430710	**7626 032**

AISI 304 stainless steel
dimensions: **1050x470 mm**
cut-out: 1030x450 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with ultra-rapid thermocouples
Supplied with:
cast iron wok support 4 see page 197

Tot. power: **9.500 W**
auxiliary: 1.000 W Dual: 5.000 W
semi-rapid: 2x1.750 W



FT FTS

finish	EAN	code
brushed	8051566430703	**7625 032**

AISI 304 stainless steel
dimensions: **1050x470 mm**
cut-out FT: see web site
cut-out FTS: 1030x450 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with ultra-rapid thermocouples
Supplied with:
cast iron wok support 4 see page 197

Tot. power: **9.500 W**
auxiliary: 1.000 W Dual: 5.000 W
semi-rapid: 2x1.750 W



S4000

Cooker hobs of the 4000 series all mount the newly-introduced third generation burners characterised by their elegant conical shape. They offer **increased maximum power** while their **energy efficiency levels exceed those of European standards.** The triple-crown burner reaches 3.8 kW and reduces gas consumption by up to 20%.

matchings

S4000 p. 48
S4001 p. 42
Triplo Invaso p. 68

S4000 p. 326
S4000 Mirror p. 328

S4000 p. 285

S4000

features

The professional vocation of the S4000 cooker hobs is particularly plain in the 6 burners version, with its two triple-ring burners. **Great space and great power, to transform your kitchen in a gourmet laboratory.**

The elegant grids of the S4000 hob are obviously in enamelled cast-iron, **the ideal material thanks to its stability, sturdiness, thermal capacity and look** that doesn't fear the wear and tear of time.

The elegant grids of the S4000 hobs form **a seamless, ample working surface** on which to move the pots in perfect safety.

The whole range is equipped with **high-efficiency burners.** The elegant III Series burners, with their exclusive conical shape; the high-efficiency (AE) burners for the Domino solutions and the new 3 burners with its double Dual burner.

The whole S4000 series **is equipped with the new knob, elegant in its minimal design**, as well as the "under-knob" ignition, as all the other Foster gas hobs. Moreover, thanks to the new burners, the ignition is now even quicker.

The flush-mount versions are supplied with **the pot support accessory** (Ref. 9601 742) that increases the work surface and safeguards the worktop against accidental contact with hot pots.

All the S4000 hobs are supplied with a standard, **cast-iron wok support.** The professional Wok pan in stainless steel is available as optional accessory.

S4000

Q4

finish	EAN	code
brushed	8033524376100	**7272 032**

AISI 304 stainless steel
dimensions: **1220x520 mm**
cut-out: 1160x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **15.200 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 2x3.800 W



Accessories: 2 see p.197

FT FTS

finish	EAN	code
brushed	8033524376117	**7273 032**

AISI 304 stainless steel
dimensions: **1220x520 mm**
cut-out FT: see web site
cut-out FTS: 1200x500 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **15.200 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 2x3.800 W



Accessories: 2 6 see p.197

Q4

finish	EAN	code
brushed	8033524375448	**7252 032**

AISI 304 stainless steel
dimensions: **920x520 mm**
cut-out: 860x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **11.400 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.800 W



Accessories: 2 see p.197

FT FTS

finish	EAN	code
brushed	8033524375486	**7257 032**

AISI 304 stainless steel
dimensions: **920x520 mm**
cut-out FT: see web site
cut-out FTS: 900x500 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **11.400 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.800 W



Accessories: 2 6 see p.197

S4000

Q4

finish	EAN	code
brushed	8033524376124	**7270 032**

AISI 304 stainless steel
dimensions: **920x520 mm**
cut-out: 860x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **11.400 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.800 W



Accessories: 2 see p.197

FT FTS

finish	EAN	code
brushed	8033524376131	**7271 032**

AISI 304 stainless steel
dimensions: **920x520 mm**
cut-out FT: see web site
cut-out FTS: 900x500 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see page 197

Tot. power: **11.400 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.800 W



Accessories: 2 6 see p.197

Q4

NEW

finish	EAN	code
brushed	8051566436828	**7280 032**

AISI 304 stainless steel
dimensions: **890x520 mm**
cut-out: 870x500 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: 2 cast iron wok supports 1 ,
1 cast iron pot support 6 ; see page 197

High Efficiency burners (AE)
Tot. power: **11.750 W**
semi-rapid: 1.750 W
dual AE: 2x5.000 W

Preparing for the Far East markets available on request.



Accessories: 2 see p.197

Q4

finish	EAN	code
brushed	8033524375455	**7253 032**

AISI 304 stainless steel
dimensions: **850x520 mm**
cut-out: 830x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **12.350 W**
auxiliary: 1.100 W rapid: 2x3.000 W
semi-rapid: 3x1.750 W



S4000

FT FTS

finish	EAN	code
brushed	8033524375493	**7258 032**

AISI 304 stainless steel
dimensions: **850x520 mm**
cut-out FT: see web site
cut-out FTS: 830x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **12.350 W**
auxiliary: 1.100 W rapid: 2x3.000 W
semi-rapid: 3x1.750 W



Accessories: 6 see p.197

Q4

finish	EAN	code
brushed	8033524375431	**7251 032**

AISI 304 stainless steel
dimensions: **620x520 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.600 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750



FT FTS

finish	EAN	code
brushed	8033524375479	**7256 032**

AISI 304 stainless steel
dimensions: **620x520 mm**
cut-out FT: see web site
cut-out FTS: 600x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.600 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750



Accessories: 6 see p.197

S4000 Line

All the elegance and performance of the 4000 Series, and the **high functionality of the burners-in-line concept.**

matchings

S4000 p. 48

Ghost 120 FT p. 325
S4000 p. 326

S4000 p. 285

Q4

finish	EAN	code
brushed	8033524375462	**7254 032**

AISI 304 stainless steel
dimensions: **1179x368 mm**
cut-out: 1159x348 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see p.197

Tot. power: **9.650 W**

auxiliary:	1.100 W	rapid:	3.000 W
semi-rapid:	1.750 W	triple crown:	3.800 W



Accessories: 2 see p.197

SF

finish	EAN	code
brushed	8033524375424	**7250 032**

AISI 304 stainless steel
dimensions: **1179x368 mm**
cut-out: 1162x351 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see p.197

Tot. power: **9.650 W**

auxiliary:	1.100 W	rapid:	3.000 W
semi-rapid:	1.750 W	triple crown:	3.800 W



Accessories: 2 see p.197

FT FTS

finish	EAN	code
brushed	8033524375509	**7259 032**

AISI 304 stainless steel
dimensions: **1179x368 mm**
cut-out FT: see web site
cut-out FTS: 1162x351 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples
Supplied with: cast iron wok support 1 see p.197

Tot. power: **9.650 W**

auxiliary:	1.100 W	rapid:	3.000 W
semi-rapid:	1.750 W	triple crown:	3.800 W



Accessories: 2 6 see p.197

S4000 Domino

Thanks to the new AE (high efficiency) burners, S4000 Domino series grants **highest performances (up to 5 kW) and 69% energetic efficiency.**

matchings

Quadra Q4 p. 58
KE Q4 p. 66

S4000 Domino
Induction p. 266

Domino Ghost p. 325

S4000 p. 285

features

The Dual AE (high-efficiency) burner **reaches the power of 5 kW.** The single knob manages the independent ignition of the internal crown, or of both fire crowns.

The Domino S4000 series makes it possible **to match gas and induction models,** thus enjoying the benefits of both cooking systems, for a really complete cooking area.

All the S4000 gas hobs are equipped with the practical **cast-iron pan support,** which can be used on the hob's surface but also to put the pots on the table.

S4000 Domino

Q4

finish	EAN	code
brushed	8033524379101	**7278 032**



AISI 304 stainless steel
dimensions: **450x520 mm**
cut-out: 430x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples

Supplied with: cast iron wok support 1,
1 cast iron pot support 6 ; see page 197

Tot. power: **5.000 W**
dual AE: 5.000 W

Notes for fixing on the worktop: see page 269

Accessories: 2 see p.197

Preparing for the Far East markets available on request.

Q4

finish	EAN	code
brushed	8033524379095	**7277 032**



AISI 304 stainless steel
dimensions: **450x520 mm**
cut-out: 430x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples

Supplied with: cast iron wok support 1,
1 cast iron pot support 6 ; see page 197

Tot. power: **4.500 W**
dual: 4.500 W

Notes for fixing on the worktop: see page 269

Accessories: 2 see p.197

Q4

finish	EAN	code
brushed	8033524379088	**7276 032**



AISI 304 stainless steel
dimensions: **380x520 mm**
cut-out: 360x480 mm

Cast iron grids and enamelled burner covers
Electric ignition, Safety valves with
ultra-rapid thermocouples

Supplied with: 1 cast iron pot support 6 see page 197

Tot. power: **2.750 W**
auxiliary AE: 1.000 W
semi-rapid AE: 1.750 W

Notes for fixing on the worktop: see page 269

Quadra Line



The first line of fire. The continuous grid facilitates the movement of pots from one burner to the next without having to lift them. Having the controls all on one side ensures that the front section remains free of any obstacles for maximum practicality.

matchings

Quadra p. 52

Quadra Line

SF

finish	EAN	code
brushed	8033524372362	**7215 042**

AISI 304 stainless steel
dimensions: **1179x368 mm**
cut-out: 1162x351 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.950 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 1.750 W triple crown: 3.500 W



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8033524372355	**7214 042**

AISI 304 stainless steel
dimensions: **1179x368 mm**
cut-out FT: see web site
cut-out FTS: 1162x351 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.950 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 1.750 W triple crown: 3.500 W



Accessories: 4 see p.197

SF

finish	EAN	code
brushed	8033524372348	**7212 042**

AISI 304 stainless steel
dimensions: **925x368 mm**
cut-out: 862x351 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **6.250 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 1.750 W



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8033524372331	**7211 042**

AISI 304 stainless steel
dimensions: **925x368 mm**
cut-out FT: see web site
cut-out FTS: 908x351 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **6.250 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 1.750 W



Accessories: 4 see p.197

Quadra Angolare

The power of five burners, all easily accessible. **A design solution that elevates the cooking corner.**

matchings

Quadra p. 52

Pitagora p. 345

Quadra Angolare

SF

finish	EAN	code
brushed	8033524372416	**7235 042**

AISI 304 stainless steel
dimensions: **972x972 mm**
cut-out: see web site

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.950 W**
auxiliary: 2x1.000 W rapid: 2.700 W
semi-rapid: 1.750 W triple crown: 3.500 W

Connection to he gas supply network must be carried out through both inlets (A and B)



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8033524372423	**7238 042**

AISI 304 stainless steel
dimensions: **972x972 mm**
cut-out FT: see web site
cut-out FTS: see web site

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.950 W**
auxiliary: 2x1.000 W rapid: 2.700 W
semi-rapid: 1.750 W triple crown: 3.500 W

Connection to he gas supply network must be carried out through both inlets (A and B)



Accessories: 4 see p.197

Thanks to its broad front work surface, the Quadra Corner cooker hob allows for optimally exploiting corner spaces.

KE Line

The evolution of the in-line cooker hob. The new model KE Line inherits the functional arrangement of burners in a line, proposing it with an elegant version with frontal knobs.

features

The III Series burners **guarantee an energy saving of 20%.** The powerful triple-ring burner reaches a power of 3,8 kW.

KE Line is equipped with **elegant Metal knobs.** Their position in front of the burners is intuitive and simplifies the use. The under-knob rings improve the cleanliness of the hob.

KE Line is over a metre long, but it is **engineered to fit into a 90 cm cabinet,** even when installed on think countertops.

SF

finish	EAN	code
brushed	8051566435487	**7606 032**

AISI 304 stainless steel
dimensions: **1050x440 mm**
cut-out: 1030x420 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.650 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 1.750 W triple crown: 3.800 W



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8051566435975	**7607 032**

AISI 304 stainless steel
dimensions: **1050x440 mm**
cut-out FT: see web site
cut-out FTS: 1037x427 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.650 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 1.750 W triple crown: 3.800 W



Accessories: 4 see p.197

KE

By choosing Foster you choose quality, design and innovative technology. Values that leave no room for compromise and are now fully reflected in the new KE series. The aim of all the components, whether technological or aesthetical, remains unaltered: **to create an elegant yet functional work environment.**

matchings

KE p. 62

KE Mirror p. 332
Master p. 334

KE p. 295

KE

STD

finish	EAN	code
brushed	8033524378999	**7603 032**
microfoster	8033524378982	**7603 432**

AISI 304 stainless steel
dimensions: **860x500 mm**
cut-out: 840x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.500 W**
auxiliary: 2x1.100 W triple crown: 3.800 W
semi-rapid: 2x1.750 W



Accessories: 4 see p.197

STD

finish	EAN	code
brushed	8033524378968	**7602 032**
microfoster	8033524378975	**7602 432**

AISI 304 stainless steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.500 W**
auxiliary: 2x1.100 W triple crown: 3.800 W
semi-rapid: 2x1.750 W



Accessories: 4 see p.197

SF

finish	EAN	code
brushed	8033524378944	**7600 032**

AISI 304 stainless steel
dimensions: **803x513 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.500 W**
auxiliary: 2x1.100 W triple crown: 3.800 W
semi-rapid: 2x1.750 W



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8033524378951	**7601 032**

AISI 304 stainless steel
dimensions: **803x513 mm**
cut-out FT: see web site
cut-out FTS: 790x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.500 W**
auxiliary: 2x1.100 W triple crown: 3.800 W
semi-rapid: 2x1.750 W



Accessories: 4 see p.197

KE White

The elegance and functionality of the KE hob is **now available in the original version with white grids** and burners with stainless steel finish that allows perfect matching in modern “total white” kitchens.

features

Elegance to put on display and praticallity in cooking.

KE white comes with refined steel burner covers.
The enamelled burner covers kit, more practical for daily use, is also available on request.

code **9601 480**

matchings

KE p. 62

KE Mirror p. 332
Master p. 334

SF

finish	EAN	code
brushed	8051566430451	**7600 132**

AISI 304 stainless steel
dimensions: **803x513 mm**
cut-out: 770x480 mm

White enamelled grids and steel burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.500 W**
auxiliary: 2x1.100 W triple crown: 3.800 W
semi-rapid: 2x1.750 W



Accessories: 4 see p.197

KE Domino

FT FTS

finish	EAN	code
brushed	8051566433377	**7624 032**

AISI 304 stainless steel
dimensions: **321x466 mm**
cut-out FT: see web site
cut-out FTS: 309x454 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Triple crown: **3.800 W**



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8051566433360	**7623 032**

AISI 304 stainless steel
dimensions: **321x466 mm**
cut-out FT: see web site
cut-out FTS: 309x454 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Rapid: **3.000 W**



FT FTS

finish	EAN	code
brushed	8051566433353	**7622 032**

AISI 304 stainless steel
dimensions: **321x466 mm**
cut-out FT: see web site
cut-out FTS: 309x454 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Semi-rapid: **1.750 W**



FT FTS

finish	EAN	code
brushed	8051566435494	**7621 032**

AISI 304 stainless steel
dimensions: **321x466 mm**
cut-out FT: see web site
cut-out FTS: 309x454 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Auxiliary: **1.100 W**



Foster Marine

The new Marine hob falls into the category “ultra-flat”, with grills that protrude only a few millimeters from the worktop and create a wide and stable work surface. **The AISI 316 stainless steel is resistant to all types of corrosion.**

matchings

Hob and sink Marine, a perfect match especially for installations in salt-rich environments, which can cause corrosion phenomena over time.

Marine p. 76

Foster Marine

features

Detail of the **precious metal knob.** The elegant satin-finish matches the hob's surface finish.

The Marine sinks and hobs feature **the elegant half-flush inclined edge,** which protrudes only 3 mm from the worktop.

The ultra-flat cast-iron grids of the Marine hob protrude only a few millimetres from the hob's surface, ensuring total practicality and safety.

SF

finish	EAN	code
brushed	8051566438556	**7058 072**

NEW

AISI 316

AISI 316 stainless steel
dimensions: **803x513 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.750 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

KS

Innovative and essential, easy to clean thanks to some distinctive details: burners distance allow practical use, single grids keep the bottom free and corners cleaning is assured by the inclined profile shapes.

matchings

KS p. 80

KS 90 p. 344
KS Lux p. 342

KS p. 298

KS

STD

finish	EAN	code
brushed	8033524379002	**7610 032**

AISI 304 stainless steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.150 W**
auxiliary: 1.100 W triple crown: 3.800 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

STD

finish	EAN	code
brushed	8033524379019	**7615 032**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.600 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W



KS colour

The enameled KS hobs match the classic style of coloured appliances to a modern and linear design, **with a original and surprising effect.**

matchings

Country p. 306

KS colour

STD

color	EAN	code
anthracite	8051566436446	**7610 632**

NEW

enamelled steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.150 W**
auxiliary: 1.100 W triple crown: 3.800 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

STD

color	EAN	code
copper	8051566436453	**7610 332**

NEW

enamelled steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.150 W**
auxiliary: 1.100 W triple crown: 3.800 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

STD

color	EAN	code
oats	8051566436460	**7610 232**

NEW

enamelled steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.150 W**
auxiliary: 1.100 W triple crown: 3.800 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

STD

color	EAN	code
white	8051566436439	**7610 132**

NEW

enamelled steel
dimensions: **790x500 mm**
cut-out: 770x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.150 W**
auxiliary: 1.100 W triple crown: 3.800 W
semi-rapid: 3x1.750 W



Accessories: 4 see p.197

KS Domino

STD

finish	EAN	code
brushed	8051566433414	**7634 032**

AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Triple crown: **3.800 W**



Accessories: 4 see p.197

STD

finish	EAN	code
brushed	8051566433421	**7633 032**

AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Rapid: **3.000 W**



STD

finish	EAN	code
brushed	8051566433391	**7632 032**

AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Semi-rapid: **1.750 W**



finish	EAN	code
brushed	8051566433384	**7631 032**

AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Auxiliary: **1.100 W**



Faust

Ultra-flat cast iron grids grant a single **continuous cooking surface** allowing maximum pots sliding.

matchings

S3000 p. 70

FT FTS

finish	EAN	code
brushed	8033524372058	**7047 072**

AISI 304 stainless steel
dimensions: **803x513 mm**
cut-out FT: see web site
cut-out FTS: 500x790 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.750 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 3x1.750 W



Accessories: 1 2 see p.197

Alfa

The original design of the grids gives **a modern twist to the traditional 5-burners hob.**

matchings

S3000 p. 70

Alfa

STD

finish	EAN	code
brushed	8051566430086	**7260 097**
microfoster	8051566430093	**7260 497**

AISI 304 stainless steel
dimensions: **860x500 mm**
cut-out: 840x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **11.100 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 4 see p.197

SF

finish	EAN	code
brushed	8051566430116	**7262 097**

AISI 304 stainless steel
dimensions: **873x513 mm**
cut-out: 840x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **11.100 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 4 see p.197

FT FTS

finish	EAN	code
brushed	8051566430109	**7261 097**

AISI 304 stainless steel
dimensions: **873x513 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **11.100 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 4 see p.197

Professionale

The Professional series cooker hob, with its sturdy cast-iron grids and a wide distance among burners, guarantees functionality and performances. **Its elegant and linear design is a classic evergreen.** Available in different built-in solutions and steel finishes, it will satisfy any need.

matchings

S3000 p. 70

Master p. 334

Faust 90 p. 305

Professionale

STD

finish	EAN	code
brushed	8033524378395	**7055 062**
microfoster	8033524379545	**7055 462**

AISI 304 stainless steel
dimensions: **860x500 mm**
cut-out: 840x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 1 2 3 see p.197

SF

finish	EAN	code
brushed	8033524379064	**7246 062**

AISI 304 stainless steel
dimensions: **873x513 mm**
cut-out: 840x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 1 2 3 see p.197

FT FTS

finish	EAN	code
brushed	8033524379057	**7245 062**

AISI 304 stainless steel
dimensions: **873x513 mm**
cut-out FT: see web site
cut-out FTS: 860x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



Accessories: 1 2 3 see p.197

STD

finish	EAN	code
brushed	8033524379026	**7053 062**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.000 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 2x1.750 W



Accessories: 1 2 see p.197

Professionale

SF

finish	EAN	code
brushed	8033524379040	**7244 062**

AISI 304 stainless steel
dimensions: **603x513 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.000 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 2x1.750 W



Accessories: 1 2 see p.197

FT FTS

finish	EAN	code
brushed	8033524379033	**7243 062**

AISI 304 stainless steel
dimensions: **603x513 mm**
cut-out FT: see web site
cut-out FTS: 590x500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.000 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 2x1.750 W



Accessories: 1 2 see p.197

A classic Foster product redesigned to offer a more modern appeal. The sturdy cast-iron grid and practical griddle (optional) make for a truly professional.

Professionale Domino

STD

finish	EAN	code
brushed	8033524373666	**7062 042**





AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm
Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **2.750 W**
auxiliary: 1.000 W
semi-rapid: 1.750 W

STD

finish	EAN	code
brushed	8033524373659	**7061 042**





AISI 304 stainless steel
dimensions: **290x500 mm**
cut-out: 270x480 mm
Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **3.500 W**
triple crown: 3.500 W

Accessories: 1 2 see p.197

F2000

STD

finish	EAN	code
brushed	8033524378388	**7055 000**

AISI 304 stainless steel
dimensions: **860x500 mm**
cut-out: 840x480 mm

Enamelled grids and burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.100 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W



STD

finish	EAN	code
brushed	8033524378937	**7053 000**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Enamelled grids and burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **8.000 W**
auxiliary: 1.100 W triple crown: 3.500 W
semi-rapid: 2x1.750 W



Veronika filotop

FT FTS

finish	EAN	code
brushed	8033524379934	**7367 032**



AISI 304 stainless steel
dimensions: **773x513 mm**
cut-out FT: see web site
cut-out FTS: 760x500 R 145 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.600 W**
auxiliary: 1.100 W rapid: 2x3.000 W
semi-rapid: 2x1.750 W



FT FTS

finish	EAN	code
brushed	8033524376407	**7266 032**

AISI 304 stainless steel
dimensions: **613x513 mm**
cut-out FT: see web site
cut-out FTS: 600x500 R 145 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.600 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 2x1.750 W



Veronika

Cooker hobs **with a neat, essential design,** with a great choice: three, four or five burners, available both in Satin-finish and Microfoster.

matchings

FM p. 84

STD

finish	EAN	code
brushed	8051566433292	**7067 052**

AISI 304 stainless steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W
semi-rapid: 2x1.750 W
rapid: 2.700 W
triple crown: 3.500 W

Strait cut-out



Accessories: 4 see p.197

Model which cannot be welded into stainless steel worktops

Veronika

STD

finish	EAN	code
microfoster	8051566430444	**7067 442**

Strait cut-out



AISI 304 stainless steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W





Accessories: 4 see p.197

Model which cannot be welded into stainless steel worktops

STD

finish	EAN	code
brushed	8051566433278	**7066 052**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W





Model which cannot be welded into stainless steel worktops

STD

finish	EAN	code
microfoster	8051566430437	**7066 442**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W





Model which cannot be welded into stainless steel worktops

STD

finish	EAN	code
brushed	8033524379118	**7063 042**

AISI 304 stainless steel
dimensions: **440x500 mm**
cut-out: 420x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **5.850 W**
auxiliary: 1.100 W rapid: 3.000 W
semi-rapid: 1.750 W





Elettra colour

Rational, sturdy and practical cooker hobs. Now available also in the **four new enameled versions** for a perfect match with the new Country ovens.

matchings

Country p. 306

Elettra 5F colour

STD

color	EAN	code
anthracite	8051566436361	**7064 642**

NEW

enamelled steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: satin steel
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W

Strait cut-out 56x48



Accessories: 1 2 see p.197

STD

color	EAN	code
copper	8051566436378	**7064 342**

NEW

enamelled steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued copper
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W

Strait cut-out 56x48



knobs kit steel coloured
cod. **8209 001**

Accessories: 1 2 see p.197

STD

color	EAN	code
oats	8051566438815	**7064 242**

NEW

enamelled steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued brass
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W

Strait cut-out 56x48



knobs kit steel coloured
cod. **8209 001**

Accessories: 1 2 see p.197

STD

color	EAN	code
ivory	8051566437894	**7064 542**

NEW

enamelled steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued brass
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W

Strait cut-out 56x48



knobs kit steel coloured
cod. **8209 001**

Accessories: 1 2 see p.197

Elettra 4F colour

STD

color	EAN	code
anthracite	8051566436422	**7068 642**

NEW

enamelled steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: satin steel
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W



STD

color	EAN	code
copper	8051566436415	**7068 342**

NEW

enamelled steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued copper
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W



knobs kit steel coloured
cod. **8209 001**

STD

color	EAN	code
oats	8051566436392	**7068 242**

NEW

enamelled steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued brass
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W



knobs kit steel coloured
cod. **8209 001**

STD

color	EAN	code
ivory	8051566437948	**7068 542**



NEW

enamelled steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Knobs colour: antiqued brass
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W



knobs kit steel coloured
cod. **8209 001**

Elettra

STD

finish	EAN	code
brushed	8051566433261	**7064 042**

AISI 304 stainless steel
dimensions: **760x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **10.700 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W triple crown: 3.500 W

Strait cut-out



Accessories: 1 2 see p.197

Model which cannot be welded into stainless steel worktops

STD

finish	EAN	code
brushed	8051566433315	**7068 042**

AISI 304 stainless steel
dimensions: **590x500 mm**
cut-out: 560x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **7.200 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 2x1.750 W



Model which cannot be welded into stainless steel worktops

Angolare



STD

finish	EAN	code
brushed	8033524372010	**7038 052**

AISI 304 stainless steel
dimensions: **830x830 mm**
cut-out: see web site

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **9.750 W**
auxiliary: 1.000 W triple crown: 3.500 W
semi-rapid: 3x1.750 W



Accessories: 1 2 see p.197

Foster's Angolare hob maximizes space thanks to the cast iron "pan-support" zones that create a continuous surface with the grids on cooking zones.

Kristal

finish	EAN	code
white glass	8033524379415	**7030 142**
black glass	8033524379408	**7030 642**

NEW



dimensions: **450x510 mm**
cut-out: 430x480 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **5.650 W**
auxiliary: 1.000 W
semi-rapid: 1.650 W
rapid: 3.000 W

matchings

S45 p. 303

Rondò

STD

finish	EAN	code
brushed	8033524372089	**7052 022**
microfoster	8033524372096	**7052 442**

AISI 304 stainless steel
dimensions: **Ø 520 mm**
cut-out: Ø 500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **5.450 W**
auxiliary: 1.000 W rapid: 2.700 W
semi-rapid: 1.750 W





Accessories: 5 see p.197

matchings

Rondò p. 110

Cilindro p. 340

The Rondò series received a special mention of merit at the prestigious **ADI "Golden Compass" international design competition.**

Rondò Kristal

finish	EAN	code
white glass	8033524379446	**7052 142**
black glass	8033524379439	**7052 642**



dimensions: **Ø 520 mm**
cut-out: Ø 500 mm

Cast iron grids and enamelled burner covers
Electric ignition
Safety valves with
ultra-rapid thermocouples

Tot. power: **5.750 W**
auxiliary: 1.000 W rapid: 3.000 W
semi-rapid: 1.750 W



Accessories: 5 see p.197

matchings

Rondò p. 110

S45 p. 303